

Auto Polan

Product Catalog

CONTENTS

01 COMPANY PROFILE

ABOUT US 01

02 MAINTENANCE EXTERIOR

EXTREME FOAM CAR SHAMPOO (No. CH001) 02
CERAMIC CAR SHAMPOO (No. CH002) 03
ALKALINE PRE-WASH (No. CH003) 04
DESCALE PRE-WASH (No. CH004) 05
COLOR FOAM PRE-WASH (Nos. CH005-CH008) 06
TOUCHLESS CAR SHAMPOO (No. CH009) 07
TOUGH MUDDER WASH (No. CH010) 08
CAR WASH & WAX (No. CH011) 09
WATERLESS CAR WASH CONCENTRATE (No. CH012) 10
ENGINE CLEANER (No. CH013) 11
ADVANCED CLAY LUBRICANT (No. CH014) 12
WHEEL & TIRE CLEANER (No. CH016) 13
IRON REMOVER (No. CH018) 14
WATER SPOT REMOVER (No. CH019) 15
TAR REMOVER (No. CH020) 16
BUG REMOVER (No. CH021) 17
GLASS OIL FILM REMOVER SPRAY (No. CH022) 18
CAR WINDOW & GLASS CLEANER (No. CH023) 19
CEMENT REMOVER (No. CH024) 20
WINDSHIELD ANTI-FOG SPRAY (No. CH026) 21
GLASS OIL FILM REMOVER PASTE (No. CH028) 22
HIGH-GLOSS TIRE SHINE SPRAY (No. CH030) 23
PLASTIC RESTORER (No. CH031) 24
HIGH-GLOSS TIRE SHINE GEL (No. CH032) 25
CLAY BAY(Nos. CH101-CH102) 26
POLISHING WAX (Nos. CH201-CH205) 27
ALUMAX ALUMINUM CLEANER 28
CHROME & METAL POLISH 29
ENGINE COATING AGENT 30

03 MAINTENANCE INTERIOR

INTERIOR CLEANER SPRAY (No. CH015) 31
CHERRY BLOSSOM AIR FRESHENER (No. CH027) 32
LEATHER CONDITIONER (No. CH029) 33

04 PROTECTION EXTERIOR

NANO CERAMIC SPRAY COATING (No. CH501) 34
GRAPHENE CERAMIC SPRAY COATING (No. CH502) 35
BOROPHENE CERAMIC SPRAY COATING (No. CH503) 36

CONTENTS

PASTE WAX (No. CH504) 37

GRAPHENE PLASTIC & TRIM COATING (No. CH601) 38

GRAPHENE CERAMIC COATING (No. CH602) 39

NANO CERAMIC COATING (No. CH603) 40

BOROPHENE CERAMIC COATING (No. CH604) 41

NANO GLASS COATING (No. CH605) 42

LIQUID GLASS COATING (No. CH701) 43

DETAIL SPRAY (No. CH025) 44

ALL-IN-ONE DRESSING (No. CH033) 45

ABOUT US

We are committed to offer our customers a variety of the latst Auto quick cleaning and maintenance. We've come a long way since establishment in the year 2011, so we know exactly which direction to take when supplying you with high quality yet budget friendly products. Meanwhile we are always providing excellent customer service and friendly support.

We always keep an eye on the latest trends in Auto quick cleaning and maintenance and put our customers' wishes fist. That is why we have satisfied customers all over the world, and are thrilled to be a part of the Auto quick cleaning and maintenance industry.

The interests of our customers are always the top priority for us, so we hope you will enjoy our products as much as we enjoy making then available to you.



OUR FOCUS AREAS ARE:




> **Research and development** of diversified car care products;
> Ensuring **manufacturing efficiency and quality consistency** in our own production facility;
> **Marketing support** and high attention to product design and easiness to use;
> Sales and **after-sales service** and support.

OUR UNIQUE SELLING PROPOSITION:

> Production of our **own brand AUTO POLAN** or **private label** marked products;
> **Manufactured in China** with mostly locally sourced materials;
> Regular testing of product properties before and after application in **accredited laboratories;**
> Evaluating product effectiveness in real life, with varving environmental conditions **from cold, dry to hot, humid climate zones;**
> **Dedicated marketing activities** for local and global communication;
> Products shipped **worldwide, fresh, with maximum shelf life** directly from manufacturer;
> 100% product quality guarantee;

Our value proposition: your partner, that is loyal, flexible, willing to hear and support, and who goes above and beyond to exceed your expectations.


MAINTENANCE
EXTERIOR
CAR CLEA
AUT

EXTREME FOAM CAR SHAMPOO (Model No. CH001)

Ultra-High-Foam pH-Neutral Wash Concentrate

Extreme Foam Car Shampoo is a professional-grade, pH-neutral (7.0) car wash concentrate engineered to produce an ultra-dense, pillow-soft foam that clings to every curve and crevice. Infused with advanced lubricating polymers and gentle surfactants, it safely encapsulates dirt and grime—lifting contaminants away without scratching paint, PPF, or ceramic coatings. Ideal for the two-bucket method, foam cannon top-ups, or hand washing where foam volume, safety, and shine matter most.

PROPERTIES

› Explosive foam volume – visibly thicker than standard shampoos.
› pH-neutral (7.5) – safe for all finishes: ceramic, wax, PPF, matte.
› High-lubricity formula minimizes micro-scratches during washing.
› Rinses clean with no residue, film, or dulling agents.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

CERAMIC CAR SHAMPOO (Model No. CH002)

Adds gloss and ceramic defense, revives coatings & boosts water beading

Ceramic Car Shampoo is a pH-neutral (7.0), ultra-gentle yet highly effective wash concentrate infused with hydrophobic SiO_2 boosters and coating-friendly surfactants. It safely removes light dust, pollen, water spots, and road film without stripping waxes, sealants, or ceramic coatings—while simultaneously depositing a micro-thin layer of ceramic protection with every use. The result? Enhanced gloss, improved water beading, and prolonged coating life, wash after wash.

PROPERTIES

› True pH 4.5 – 100% safe for all ceramic coatings, PPF, and OEM finishes.
› Contains SiO_2-infused polymers to refresh hydrophobicity.
› Rich, lubricating foam minimizes wash-induced marring.
› Leaves zero residue—ideal for drying without streaks.
› Highly concentrated: dilutes up to 1:500 for foam cannon use.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

ALKALINE PRE-WASH (Model No. CH003)

Heavy-Duty Degreasing Pre-Wash Concentrate

Alkaline Pre-Wash is a high-performance, alkaline-based (pH ~10.5) pre-wash concentrate engineered to emulsify and lift road tar, oily films, diesel soot, tree sap residue, and industrial grime that neutral shampoos can't remove. Its powerful surfactant system generates thick, clinging foam that penetrates deep into surface contaminants—loosening debris without abrasion. Use before hand washing or decontamination steps to ensure a truly clean foundation.

PROPERTIES

› Rapidly breaks down oily, greasy, and hydrophobic contaminants.
› High-foaming formula clings to vertical surfaces for extended dwell time.
› Does not contain solvents or harsh caustics—safe for modern OEM finishes.
› Excellent prep step before iron remover, clay, or machine polishing.
› Highly concentrated: dilutes up to 1:30 for cost-efficient use.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

DESCALE PRE-WASH (Model No. CH004)

Acidic Mineral & Scale Remover • Pre-Wash Concentrate

Descale Pre-Wash is a precision-engineered acidic pre-wash concentrate (pH ~3.6) formulated to rapidly break down stubborn mineral deposits, limescale, cement splatter, rail dust oxidation, and alkaline road film that resist standard soaps. Unlike iron removers, it targets calcium, magnesium, and silicate-based contaminants—common culprits behind hazy paint and etched glass. Use as a targeted pre-treatment before washing on heavily contaminated surfaces.

PROPERTIES

› Rapidly dissolves hard water spots, concrete dust, and mineral scale.
› Restores clarity to glass and smoothness to paint after industrial exposure.
› High-cling foam ensures controlled application on vertical surfaces.
› Biodegradable acid system (non-hydrofluoric, non-phosphoric).
› Ideal for post-construction vehicles, coastal areas, or winter road residue .



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

COLOR FOAM PRE-WASH (Model Nos. CH005–CH008)

Vibrant Color Foam for Safe, Fun & Deep Cleaning

Color Foam Pre-Wash is a high-foaming, color-infused, pH-neutral (~7.5–8.5) pre-wash concentrate engineered to transform your wash routine into a vivid, worry-free experience. Its signature brilliant color foam clings to vertical surfaces, delivering deep-cleaning power while adding visual flair—without staining hands, paint, or trim. Powered by advanced surfactants, penetrants, and chelating agents, it rapidly emulsifies road grime, oil, and brake dust, while built-in anti-static technology weakens the bond of embedded dirt, dramatically reducing swirls during rinsing. Ideal for use before hand washing or as a standalone touchless rinse.

PROPERTIES

› Eye-catching Color foam – fun, photogenic, and easy to track coverage.
› Non-staining formula – rinses clean from paint, glass, wheels, and skin.
› Loosens dirt & sand – minimizes micro-scratches during water rinse.
› Emulsifies oils & grime – lifts contaminants without touching the surface.
› Anti-static action – reduces static cling of abrasive particles on paint.
› Biodegradable & pH-balanced – safe for regular use.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

TOUCHLESS CAR SHAMPOO (Model No. CH009)

Clean Without Contact. Protect Without Compromise

Touchless Car Shampoo is a pH-neutral (7.0), ultra-high-foaming concentrate engineered for true touchless cleaning. Its advanced surfactant system lifts and suspends light dust, pollen, water spots, and road film—rinsing away cleanly with no wiping required. Specially formulated to be safe on ceramic coatings, waxes, PPF, and all OEM paint types, it delivers a streak-free finish while preserving existing protection. Perfect for weekly upkeep, show cars, or water-conscious washing.

PROPERTIES

› True pH 12 – 100% safe for ceramic coatings, waxes, and sealants.
› Dense, long-lasting foam clings to vertical surfaces for effective cleaning.
› Leaves zero residue or water spotting when rinsed properly.
› Biodegradable & non-toxic formula – eco-friendly and septic-safe.
› Highly concentrated: dilutes up to 1:200 for foam cannon use.
› No sponge. No mitt. No swirls. Just spray, dwell, and rinse.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

TOUGH MUDDER WASH (Model No. CH010)

Heavy-Duty Cleaning Agents for Stuck-On Dirt and Debris

Tough Mudder Wash is a high-lift, alkaline-balanced (pH ~7.5) cleaning concentrate engineered to blast away caked-on mud, dried clay, sand, silt, and off-road sludge without scratching. Its powerful yet controlled surfactant system penetrates deep into porous dirt, breaking its bond with paint, wheels, and undercarriage plastics. Despite its brute strength, it's formulated to be safe on clear coats, ceramic coatings, and factory finishes when used as directed—making it the ultimate wash for adventurers who refuse to compromise between cleanliness and protection.

PROPERTIES

› Rapidly dissolves dried mud, red clay, and silty buildup.
› High-sudsing formula lifts debris without aggressive scrubbing.
› Safe on OEM paint, PPF, and ceramic coatings (when rinsed promptly).
› Biodegradable surfactants – tough on dirt, kinder on the environment.
› Concentrated: dilutes up to 1:50 for bucket or foam cannon use.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

CAR WASH & WAX (Model No. CH011)

2-in-1 Cleaning & Protection Shampoo

Car Wash & Wax is a pH-balanced (pH ~7.5) wash concentrate infused with advanced synthetic polymers and carnauba-enhanced emulsifiers that clean away dirt while leaving behind a glossy, hydrophobic layer of protection. Unlike harsh detergents, its ultra-lubricating formula minimizes swirls during washing and enhances depth of color with every use. Perfect for weekly maintenance on all paint types—including clear coats, ceramic coatings, and factory finishes.

PROPERTIES

› Gentle pH7.5-balanced formula safe for all exterior surfaces.
› Deposits a light, water-beading wax layer with every wash.
› Rich, thick foam lifts dirt while reducing wash-induced scratches.
› Enhances gloss and depth—ideal for dark and metallic paints.
› Highly concentrated: dilutes up to 1:200 for foam cannon or bucket use.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

WATERLESS CAR WASH CONCENTRATE (Model No. CH012)

2-in-1 Formula: Dilute to Create Waterless Wash or Quick Detailer

This ultra-concentrated formula serves as both a powerful waterless car wash (when diluted 1:4) and a lightweight quick detailer (when diluted 1:15–1:20). Infused with high-lubricity polymers and SiO_2 boosters, it safely lifts light dust, fingerprints, and road film without scratching—while leaving behind a glossy, hydrophobic finish. Perfect for full no-rinse cleans or fast spray-and-wipe touch-ups between washes. Designed for efficiency, economy, and maximum paint safety.



PROPERTIES

› One concentrate replaces two products—saves cost and shelf space.
› pH-neutral & non-abrasive—zero risk of swirls when used correctly .
› Adds hydrophobic protection with every use.
› Biodegradable, low-VOC, and eco-friendly.
› Ideal for professionals and DIY detailers alike.
› Safe on ceramic coatings, PPF, clear coats, glass, and chrome.

CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

ENGINE CLEANER (Model No. CH013)

Deep Degreasing Without the Damage

Engine Cleaner is a high-efficiency, water-based degreaser engineered specifically for modern automotive engine bays. Its bio-surfactant and alkaline-buffered formula rapidly emulsifies oil, grease, brake dust, road grime, and carbon buildup—yet remains gentle on rubber hoses, plastic covers, wiring harnesses, aluminum, and painted surfaces. Unlike harsh solvent-based cleaners that cause cracking, fading, or sensor corrosion, this pH-balanced solution delivers professional-level cleanliness with zero material degradation. Ideal for routine maintenance, pre-detailing prep, or restoring neglected engine compartments to showroom condition.

PROPERTIES

› Dissolves heavy oil & grease – no scrubbing needed on most surfaces.
› Safe on all engine bay materials.
› Water-rinseable – leaves no sticky or oily residue.
› Non-corrosive & non-flammable – safe for DIY and professional use.
› Biodegradable formula – plant-derived surfactants, no chlorinated solvents.
› Neutral odor – no harsh chemical fumes.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	kAbout 14.2 g (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

ADVANCED CLAY LUBRICANT (Model No. CH014)

Professional-Grade Slip • Safe on Coatings & PPF
Biodegradable Formula

Advanced Clay Lubricant is a high-slip, pH-neutral lubricating solution engineered to enable safe, effective paint decontamination with any detailing clay or synthetic clay towel. Its ultra-low surface tension formula creates a resilient, water-based cushion that allows embedded contaminants—like rail dust, industrial fallout, tree sap residue, and overspray—to be lifted away without dragging across the clear coat. Unlike soapy water or all-purpose cleaners, this lubricant provides consistent, long-lasting glide even in direct sun, ensuring zero swirls or micro-marring. Fully compatible with ceramic coatings, PPF, and vinyl wraps.

PROPERTIES

› Superior lubricity – reduces friction by >70% vs. car shampoo.
› Safe on all surfaces: OEM paint, ceramic coatings, PPF, glass, wheels.
› Biodegradable & non-toxic – plant-derived surfactants, no phosphates.
› Extended working time – won't dry quickly in sun or wind.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

WHEEL & TIRE CLEANER (Model No. CH016)

Heavy-Duty Alkaline Degreaser for Wheels & Tires

This high-pH (12) alkaline wheel and tire cleaner is engineered for professional-level decontamination of heavily soiled alloy, steel, and painted wheels. Unlike mild shampoos, its potent alkaline formula saponifies oils and emulsifies baked-on brake dust, tar, grease, and tire release agents—lifting contaminants without acid etching. Simultaneously deep-cleans tire sidewalls to reveal a natural, non-glossy black finish. Rinses completely residue-free when used correctly. Ideal for detailers and enthusiasts facing extreme road grime.

PROPERTIES

› pH 12 alkaline formula – breaks down oil-based contaminants via saponification.
› Rapidly dissolves burnt-in brake dust, axle grease, and tire mold-release residue.
› Restores tires to clean, matte black—prepares surface for dressing.
› No acids or chlorine – safe for aluminum alloys when rinsed promptly.
› High-cling gel or liquid format stays wet on vertical wheel barrels.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

IRON REMOVER (Model No. CH018)

Heavy-Duty Alkaline Degreaser for Wheels & Tires

Iron Remover is a high-performance, acid-based decontaminant formulated to chemically dissolve embedded iron particles—from brake dust, rail dust, and industrial fallout—that cling invisibly to your vehicle's paint, wheels, and glass. Upon contact, it triggers a vivid purple color change, visually confirming contamination removal.

PROPERTIES

› Instant color reaction – see iron contamination disappear in real time.
› Dissolves embedded metal particles – not just surface dirt.
› Reduces need for aggressive claying or polishing.
› Prevents rail dust etching and brake dust staining.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

WATER SPOT REMOVER (Model No. CH019)

Acid & Alkaline Mineral Deposit Dissolver for Glass and Paint

Water Spot Remover is a precision-formulated acidic cleaner (pH ~2.0) designed to dissolve hard water spots, lime scale, calcium deposits, and light mineral etching from automotive glass, paint, wheels, and trim. Unlike abrasive polishes that remove layers of clear coat, this liquid formula chemically breaks down mineral buildup on contact—restoring clarity to windshields and gloss to painted surfaces. Safe for use over ceramic coatings, PPF, and factory finishes when applied correctly and rinsed promptly.



PROPERTIES

› Instantly dissolves white, chalky water spots from rain, sprinklers, or improper drying.
› Works on glass, paint, chrome, alloy wheels, and plastic trim.
› Non-abrasive – no swirls, no cutting, no machine required.
› Safe for ceramic coatings and PPF with proper dwell control.
› Fast-acting – often works in under 60 seconds.

CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

TAR REMOVER (Model No. CH020)

Fast-Acting Solvent for Tar, Sap & Sticky Road Residue

Tar Remover is a high-penetration, non-acidic solvent formula engineered to instantly dissolve road tar, asphalt splatter, tree sap, chewing gum, adhesive residues, and industrial fallout from automotive paint, glass, and wheels. Unlike abrasive clay or harsh scrubbing, it lifts sticky contaminants at the molecular level—leaving zero swirls, scratches, or hazing. Safe for use on factory clear coats, ceramic coatings, PPF, vinyl wraps, and glass when applied as directed.

PROPERTIES

› Works in seconds – no soaking or aggressive wiping.
› Non-abrasive & non-acidic – won't etch paint or degrade coatings.
› Safe on ceramic coatings, PPF, matte finishes, and OEM paint.
› Leaves zero oily residue – rinses or wipes clean.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 11.25 kg (25 pcs)
Product Weight	About 450 g	**Carton G.W**	About 11.7 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

BUG REMOVER (Model No. CH021)

Fast-Acting Insect & Organic Stain Dissolver

Bug Remover is a high-performance, biodegradable pre-wash formula engineered to break down dried insect splatter, bird droppings, tree sap, and pollen on contact—in under 60 seconds. Its advanced surfactant system lifts organic residues without acid, harsh solvents, or abrasives, making it safe for clear coats, ceramic coatings, PPF, and factory paint. Use weekly during bug season to prevent etching and staining.

PROPERTIES

› Works in 30–60 seconds—no soaking or scrubbing.
› Safe on ceramic coatings, PPF, vinyl wraps, and matte finishes.
› pH-balanced (~12.7)—won't strip wax or degrade sealants.
› Biodegradable & low-odor formula.
› Prevents permanent etching from acidic bug residue.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

GLASS OIL FILM REMOVER SPRAY (Model No. CH022)

Eliminate Invisible Hazards. Restore True Clarity

Glass Oil Film Remover Spray is a precision-engineered, non-abrasive cleaner formulated to dissolve invisible hydrophobic contaminants that accumulate on windshields and windows—causing dangerous glare, smeared wiper trails, and poor rain visibility. Unlike household detergents or alcohol wipes that leave residues or degrade rubber, this pH-balanced, ammonia-free formula uses bio-based solubilizers and chelating agents to lift oil, tar, silicone, wax, and industrial fallout without scratching glass or harming ceramic coatings. In under 5 minutes, your windshield regains true optical clarity, allowing rain repellents and wipers to perform as designed.

PROPERTIES

› Removes stubborn oil film from.
› Restores wiper performance – no more skipping or smearing.
› Enhances rain repellent adhesion – essential prep step before applying hydrophobic coatings.
› Safe on all automotive glass.
› Ammonia-free & non-corrosive – won't damage trim, sensors, or wiper blades.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

CAR WINDOW & GLASS CLEANER (Model No. CH023)

Crystal Clear. Zero Streaks. Safe for Every Pane

Car Window & Glass Cleaner is a fast-evaporating, ammonia-free solution engineered to deliver optical clarity on all automotive glass—inside and out. It instantly dissolves fingerprints, dust, smudges, light oil films, and road haze without leaving streaks, haze, or residue. Safe for factory-tinted windows, aftermarket films, LCD screens, touch displays, and rain-sensing camera zones. Ideal for daily maintenance, final detailing, or quick cleanups before night driving.

PROPERTIES

› 100% ammonia-free – won't degrade window tint or irritate eyes.
› Streak-free drying – even in direct sunlight or high humidity.
› Safe on interior displays, navigation screens, and ADAS sensors.
› Removes light oil film, fingerprints, and wiper residue.
› Low-odor, non-toxic, and VOC-compliant.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

CEMENT REMOVER (Model No. CH024)

Paint-Safe Concrete & Mortar Dissolver

Cement Remover is a precision-engineered, acid-based cleaner formulated to safely break down dried cement, mortar, grout, and lime scale from vehicle paint, wheels, glass, and trim—common after construction exposure or roadwork.

PROPERTIES

› Rapidly dissolves cement, mortar, and lime deposits in 1–3 minutes.
› Safe on OEM paint, ceramic coatings, PPF, alloy wheels, and glass.
› No abrasive scrubbing needed—reduces risk of marring.
› Biodegradable active ingredients (post-neutralization).



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

WINDSHIELD ANTI-FOG SPRAY (Model No. CH026)

Crystal-Clear Vision in Any Climate

Windshield Anti-Fog Spray is a professional-grade, hydrophilic anti-fog treatment that eliminates condensation on automotive glass by creating an ultra-thin, transparent layer that spreads moisture into a uniform film—not droplets. Unlike temporary DIY hacks (shaving cream, soap) or oily sprays that smear and degrade visibility, this alcohol-based, residue-free formula bonds instantly to glass, delivering up to 7 days of fog-free clarity—even in high-humidity conditions like rain, snow, or passenger breath. Safe for factory-tinted windows, ceramic-coated windshields, and interior rearview mirrors.

PROPERTIES

› Prevents fogging for up to 7 days – not just minutes.
› 100% optically clear – zero haze, streaks, or distortion.
› Works instantly – no curing time; drive immediately after application.
› Safe on all automotive glass.
› Non-greasy & non-sticky – won't attract dust or degrade wiper blades.
› Pleasant, neutral scent – no harsh chemical odor.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

GLASS OIL FILM REMOVER PASTE (Model No. CH028)

Professional-Grade Paste for Crystal-Clear Windshields

Glass Oil Film Remover Paste is a dual-action cleaning compound engineered to remove invisible but dangerous oil films from automotive glass—caused by exhaust fumes, wiper blade residue, road tar, and industrial fallout. Unlike liquid cleaners that only wipe the surface, this fine-abrasive paste combines mild polishing particles with degreasing surfactants to physically lift and chemically dissolve embedded contaminants. The result? Streak-free, hydrophilic glass that allows rain to sheet evenly—eliminating blinding glare and "halo" effects at night. Safe for all auto glass, including factory-tinted windows and ceramic-coated windshields.



PROPERTIES

› Removes stubborn oil film – invisible layer that repels water and causes smearing.
› Restores true clarity – eliminates night-time halos, sun glare, and foggy haze.
› Dual-action formula: mild abrasives + degreasers = deep clean without scratches.
› Safe for all automotive glass – including OEM tinted, laminated, and coated windshields.

HIGH-GLOSS TIRE SHINE SPRAY (Model No. CH030)

Mirror-Black Shine. Zero Aerosol. Full Performance

High-Gloss Tire Shine Spray delivers the same deep, liquid-black gloss and durable polymer film as professional aerosol dressings—without propellants, high VOCs, or shipping restrictions. This oil-based, pump-action formula combines high-refractive-index conditioning oils with flexible acrylic resins to create a hydrophobic, sling-resistant coating that bonds to tire rubber for up to 28 days of showroom shine. The precision trigger sprayer ensures even mist coverage with zero overspray waste, making it ideal for home garages, eco-conscious detailers, and regions with strict aerosol regulations.

PROPERTIES

> Mirror-black, wet-look finish.
> No aerosol, no propellants.
> Low-VOC & eco-compliant.
> Sling-resistant polymer film.
> Flexible & UV-stable.
> Precision pump spray.
> Safe for all sidewalls.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 11.25 kg (25 pcs)
Product Weight	About 450 g	**Carton G.W**	About 11.7 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

PLASTIC RESTORER (Model No. CH031)

Revive Faded Trim. Lock in Black. Block UV

Plastic Restorer is a professional-grade, oil-based treatment engineered to reverse years of sun damage on faded, chalky, or oxidized exterior plastics and rubber. Unlike superficial dressings that sit on the surface and wash off in days, this transparent, low-viscosity liquid penetrates deep into micro-cracks, replenishing lost plasticizers and restoring the material's original flexibility, color depth, and luster. Infused with high-load UV absorbers and antioxidant stabilizers, it forms an invisible, breathable barrier that protects for up to 90 days—turning dull gray bumpers, mirror housings, and wheel arches back to rich, OEM-black.

PROPERTIES

> Restores severely faded black plastic & rubber – even "powdery" surfaces.
> Oil-based deep penetration – works from within, not just on top.
> Transparent formula – no white residue, no artificial dye.
> Long-lasting protection: up to 90 days of UV resistance.
> Flexible finish – won't crack, peel, or flake in extreme temps.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 11.25 kg (25 pcs)
Product Weight	About 450 g	**Carton G.W**	About 11.7 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

HIGH-GLOSS TIRE SHINE GEL (Model No. CH034)

Mirror-Black Intensity in a Precision-Controlled Gel

High-Gloss Tire Shine Gel is a premium, oil-based tire treatment engineered as a viscous, transparent gel for unmatched control and brilliance. Unlike runny sprays or greasy liquids that sling onto wheels and paint, this shear-thinning gel clings instantly to vertical sidewalls, delivering a deep, liquid-black, high-gloss finish that mimics freshly oiled rubber—without the mess. Infused with non-evaporating synthetic oils, UV absorbers, and flexible film-formers, it penetrates micro-cracks to rejuvenate color while forming a hydrophobic, elastic coating that resists rain, car washes, and road debris for up to 21 days.

PROPERTIES

› Intense high-gloss "wet look" – deepest black saturation possible.
› Transparent & dye-free – enhances natural rubber tone, never artificial.
› Gel format = zero drip, zero waste – apply only where you want it.
› Oil-based longevity – won't wash off in first rain (unlike water-based).
› Flexible film – moves with tire flex; no cracking or peeling.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

CLAY BAY (Model Nos. CH101-CH102)

Effectively removes dirt and protects your car's paint

Clay bar series offers three levels of cleaning power to suit every need. The Light Clay Bar ensures effortless maintenance and gentle cleaning, perfect for regular upkeep to remove dust, dirt, and light oxidation while preserving your paint. For moderate to heavy contamination, the Medium Clay Bar delivers a deeper clean, effortlessly eliminating brake dust, pollen, tree sap, overspray, and tar to restore your vehicle's shine. When faced with tough, stubborn contaminants, the Heavy Clay Bar rises to the challenge, specially designed for extreme conditions to tackle industrial fallout, acid rain marks, and deeply embedded grime, leaving your paint surface revitalized.



PROPERTIES

› Three-Stage Strength – Light, Medium, and Heavy grades for every contamination level.
› Paint-Safe - Gentle abrasives remove dirt without scratching or dulling your clear coat.
› All-in-One Removal – Eliminates brake dust, pollen, tree sap, overspray, tar, and embedded grime.
› Showroom Finish – Leaves paint smooth and glossy, ready for wax or coating.

POLISHING WAX (Model Nos. CH201-CH205)

Coarse · Medium · Fine · 3-in-1 · 4-in-1 – all paint care in one range.

Our Polishing Wax series offers five grades for every paint care need:
Coarse – Heavy cutting for deep scratches and severe oxidation.
Medium – Refines coarse marks, removes moderate defects, boosts gloss.
Fine – Mirror finish, removes fine marks, leaves protective layer.
3-in-1 Fast – One-step removal of 2000# sanding marks, glossy result.
4-in-1 – Cleans, polishes, shines, and protects against UV/acid rain.
Choose the grade that fits your job – from heavy correction to quick maintenance.



PROPERTIES

› Progressive Refinement – Progressive refinement from coarse to fine for a smooth, flawless surface.
› Mirror Gloss – Mirror gloss finish with ultra-fine polishing for exceptional shine.
› All-in-One Efficiency – All-in-one efficiency saves time with multi-function formulas.
› Lasting Protection – Lasting protection against UV, acid rain, and daily contaminants.

ALUMAX
ALUMINUM CLEANER

Concentrated Formula

Alumax Aluminum Cleaner is a professional acid-based cleaner specially developed for aluminum wheels and metallic surfaces. Its concentrated formula effectively removes oxidation, brake dust, rust stains, and mineral deposits, restoring shine and preparing wheels for protection.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

PROPERTIES

› Powerful acid-based cleaner for aluminum and metallic wheels.
› Removes oxidation, brake dust, rust stains, and mineral buildup.
› Concentrated formula – excellent dilution ratio for cost efficiency.
› Professional strength for automotive workshops and detailers.

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 62.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

CHROME & METAL POLISH

Non-Abrasive Revival for Tarnished & Oxidized Chrome

Chrome & Metal Polish is a precision-engineered, non-abrasive treatment designed to dissolve oxidation, water spots, light corrosion, and yellowing on factory or aftermarket chrome surfaces—without damaging the ultra-thin decorative layer. Unlike metal polishes that rely on abrasives (risking irreversible wear), this formula uses chelating agents, mild acid buffers, and nano-silica brighteners to chemically lift contaminants while depositing a transparent, hydrophobic shield that enhances reflectivity and delays re-oxidation. In one wipe, dull, hazy chrome returns to its original cool, mirror-like brilliance.

PROPERTIES

› Non-abrasive formula – safe for thin OEM chrome (no micro-scratches).
› Removes hard water spots, oxidation, light corrosion, soap scum & brake dust residue.
› Restores true metallic reflectivity – not artificial gloss.
› Leaves protective nano-coating – repels water & contaminants for 60 days.
› Works in seconds – no machine, no elbow grease.
› Safe on auto trim, chrome wheels, motorcycle parts, and home fixtures.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

ENGINE COATING AGENT

Exceptional Protection and Efficiency

Engine Coating is designed to safeguard engine components. It creates a strong protective film on surfaces. Made from advanced materials, it offers great thermal insulation, lubrication, corrosion - resistance, and self - cleaning features, achieving extended engine gloss and service life.

PROPERTIES

› Friction Killer – Reduces metal wear with nano-lubrication.
› Rust Block – Seals out moisture and acids.
› Dirt Repellent – Hydrophobic surface keeps oil away.
› Bond Strong – Stays intact through heat cycles.
› Chemical Guard – Resists oil, fuel, and coolant attacks.
› Scratch Shield – Hardens surface to resist minor abrasions.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 11.25 kg (25 pcs)
Product Weight	About 450 g	**Carton G.W**	About 11.7 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

MAINTENANCE
INTERIOR



INTERIOR CLEANER SPRAY (Model No. CH015)

Ready-to-Use Multi-Surface Interior Detailer

Concentrated Interior Cleaner is a high-performance, pH-balanced (6.5–7.0) formula engineered to safely remove dirt, grease, fingerprints, food stains, and everyday grime from fabric, vinyl, leather, plastic, rubber, and Alcantara®. Its advanced surfactant system penetrates deep into fibers without over-wetting, while leaving no sticky residue or artificial gloss. Highly concentrated—dilute for light cleaning or use stronger for tough stains. Ideal for detailers and enthusiasts who demand clean interiors without damage or discoloration.



PROPERTIES

> Safe on OEM leather, coated fabrics, and matte/satin trims.
> Non-foaming or low-foam options available (ideal for extraction machines).
> No silicones, dyes, or optical brighteners—won't attract dust.
> Biodegradable & low-VOC formula.
> Dilutes up to 1:20 for general cleaning, 1:5 for heavy soiling.

CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

CHERRY BLOSSOM AIR FRESHENER (Model No. CH027)

Instant Freshness. Real Odor Elimination

Cherry Blossom Spray Air Freshener is a fast-acting, dual-function interior refresher that doesn't just mask odors—it neutralizes them on contact, then leaves behind the delicate, uplifting scent of Japanese cherry blossoms. Engineered with plant-based odor-capturing molecules and micro-encapsulated botanical oils, this fine-mist spray instantly breaks down smoke, food smells, pet odors, and sweat at the source—without alcohol, ammonia, or synthetic perfumes.

PROPERTIES

› Instant odor elimination – works in seconds, not minutes.
› Alcohol-free formula – won't dry out leather, dashboards, or upholstery.
› Non-staining & residue-free – safe on Alcantara®, fabric, plastic, and glass.
› Safe for people & pets – no harsh VOCs, phthalates, or aerosol propellants.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

LEATHER CONDITIONER (Model No. CH029)

Deep Nourishment for Leather, Restores Natural Softness

Leather Conditioner is a rich, white emulsion specially formulated to replenish natural oils lost to UV exposure, heat, and aging—without darkening, greasing, or leaving artificial shine. Unlike conventional conditioners loaded with silicones or waxes that seal the surface and trap dirt, this breathable, pH-balanced formula penetrates deep into leather fibers to restore elasticity, prevent cracking, and revive suppleness—while maintaining the original matte or semi-aniline finish of light-colored, white, or cream interiors. Ideal for luxury car seats, steering wheels, dash wraps, and fine furniture.

PROPERTIES

› Safe for white & light leather – zero yellowing or staining.
› True conditioning (not coating) – absorbs fully, no residue.
› Silicone-free & wax-free – preserves natural texture and breathability.
› Restores softness – reverses dryness, stiffness, and micro-cracks.
› UV & antioxidant protection – slows fading and fiber degradation.
› Matte-to-natural finish – never glossy or plastic-like.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton


PROTECT
EXTERIOR
CAR CLEA
AU

NANO CERAMIC SPRAY COATING (Model No. CH501)

Candy like glossy effect, prevent UV damage to car paint

Nano ceramic spray coating is a professional automotive beauty product that can be completed at your home. Provide more than 3 momths protection and easy to use, just spray / wipe off. Make the maintenance effect of professional quality so simple. It is an ideal product for protecting the paint surface of new cars!



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

PROPERTIES

› Candy-like gloss effect - deep, wet candy-like shine that makes paint pop.
› Prevents UV damage to car paint - blocks UV rays to prevent fading and paint damage.
› Quick spray, easy to use.
› Water and dust resistant, easy to clean - super-hydrophobic surface repels water and dirt.
› Effect lasts more than 3 months.

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

GRAPHENE CERAMIC SPRAY COATING (Model No. CH502)

Instant Gloss. Long-Lasting Protection. Effortless Application

Graphene Ceramic Spray Coating is an advanced, ready-to-use protectant that combines graphene-enhanced polymers with ceramic (SiO_2) technology to create a durable, hydrophobic barrier on your vehicle's surfaces. Delivering a deep, candy-like gloss in minutes, it repels water, dirt, bird droppings, and UV rays—while enhancing color depth and surface smoothness. Designed for quick spray-and-wipe application, it requires no polishing, curing lamps, or professional tools. Ideal for DIY enthusiasts seeking long-term protection with minimal effort.

PROPERTIES

› Up to 5+ months of durable protection – outperforms standard waxes and sealants.
› Candy-like gloss & enhanced color depth – makes paint look wet even when dry.
› Superhydrophobic surface – water contact angle: 95°–98°.
› Repels dirt, dust, bird droppings, and light contaminants.
› UV-resistant – helps prevent sun-induced fading and oxidation.
› Removes light swirls & sun marks during application.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	kAbout 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

BOROPHENE CERAMIC SPRAY COATING (Model No. CH503)

Advanced Protection, Simplified Application

Boron-Nano Ceramic Spray Coating delivers lab-grade ceramic protection through a ready-to-use spray application. Enhanced with boron-based nanotechnology, it offers unmatched elasticity and exceptional gloss. Unlike standard SiO_2 sprays that degrade under intense sun or heat, our formula integrates boron-doped silica networks and hexagonal boron nitride (h-BN) nanosheets to create a denser, more stable shield that resists yellowing, oxidation, and thermal breakdown up to 250°C. Just spray, wipe, and buff—no curing lamps, no machine needed. Ideal for daily drivers, EVs, or anyone seeking long-lasting gloss with minimal effort.

PROPERTIES

› Boron-enhanced ceramic matrix – superior UV & heat resistance vs. standard sprays.
› Improves gloss by 90%+ – deep, reflective finish in one pass.
› 8+ months of hydrophobic protection – water contact angle >105°.
› Spray-and-wipe simplicity – perfect for DIYers and quick maintenance.
› Safe on all surfaces: paint, PPF, vinyl wraps, glass, wheels, plastic trim.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

PASTE WAX (Model No. CH504)

Hydrophobic Polymer Technology

Paste Wax is a premium blend of natural carnauba and synthetic polymers, formulated to deliver a deep, wet-look shine while providing robust, long-lasting protection. Its thick paste consistency allows for smooth, controlled application and even coverage, enabling you to build layers for enhanced durability. The wax forms a tough hydrophobic barrier that repels water, dirt, UV rays, and acidic contaminants, effectively preserving paint integrity and color depth. Easy to apply and effortless to buff off, it leaves a slick, mirror-like finish that endures for months, making it the ideal choice for enthusiasts who demand both aesthetic brilliance and reliable defense.



PROPERTIES

› Deep Wet Gloss – Delivers rich, mirror-like shine.
› Long-Lasting Durability – Protection that endures for months.
› Strong Hydrophobic Shield – Repels water, dirt, and acid rain.
› Easy Application – Smooth to spread, effortless to buff.
› Natural Carnauba Blend – Premium wax for exceptional depth and warmth.

GRAPHENE PLASTIC & TRIM COATING (Model No. CH601)

The Permanent Black. Reinforced by Graphene

Graphene Plastic & Trim Coating is the first graphene-enhanced ceramic shield for automotive plastics and rubber, using functionalized graphene nanoplatelets in a flexible siloxane matrix to bond permanently to surfaces like PP, TPO, and EPDM. It blocks 99.9% of UV radiation, delivers 24–36 months of protection, maintains a true OEM matte or satin finish (never glossy or greasy), repels dust and water, and resists thermal cycling from -30°C to 80°C without cracking—transforming faded bumpers and brittle seals into a permanent molecular upgrade, not a cover-up.

EXCELS AT

- Permanent Protection
- Super Hydrophobic Effect
- Scratch Resistance
- Long-lasting Matte Finish
- Thermal Resistance (Up To 120°C)
- Increase Colour Depth

PROPERTIES

› 3-year protection – survives car washes, rain, snow, and sun.
› True OEM matte finish – enhances texture, never adds gloss.
› Graphene-enhanced UV blocking – prevents oxidation at molecular level.
› Ultra-low surface energy – dust, pollen, and bugs slide off.
› Flexible ceramic network – moves with plastic, no cracking or peeling.
› Compatible with PPF edges and wrapped vehicles.

PURPOSE: Bumpers, grilles, mirror caps, Wheel arches & mud flaps, Rubber seals, weatherstripping, Vinyl roof moldings & classic trim



GRAPHENE CERAMIC COATING (Model No. CH602)

The Next Evolution of Surface Armor

Graphene Ceramic Coating fuses high-purity silica (SiO_2) with functionalized graphene nanosheets to create an ultra-dense, flexible, and intelligent protective layer. Unlike standard ceramic coatings that can become brittle under thermal stress, it delivers 10H+ pencil hardness, a glass-smooth finish that reduces dirt adhesion by 70%, extreme hydrophobicity (contact angle >115°), and thermal stability up to 800°C—ideal for brake-dust-prone wheels and dark paint. With longevity of 24–36 months, it doesn't just repel water—it rejects contamination, stays cleaner longer, and preserves mirror-like gloss with minimal maintenance.

PURPOSE: Paint (clear coat, single-stage), Glass (windshield, windows), Wheels (alloy, chrome, ceramic-coated), PPF & vinyl wraps



EXCELS AT

- Permanent Protection
- Super Hydrophobic Effect
- 10H+ Pencil Hardness
- Extreme High Gloss
- Thermal Resistance (Up To 120°C)
- Increase Colour Depth

PROPERTIES

› 10H+ scratch & swirl resistance – with unmatched flexibility.
› 3-year durability – even in harsh UV, acid rain, or coastal climates.
› Extreme hydrophobicity – contact angle >102°; self-cleaning effect.
› UV & oxidation protection – prevents paint fading and clear coat degradation.
› Heat-dissipating – protects wheels & dark paint from brake dust etching and thermal degradation.
› Enhanced gloss depth – creates a liquid-glass reflection unmatched by wax or sealants.

NANO CERAMIC COATING (Model No. CH603)

SiO_2-Based • Hydrophobic • Multi-Surface Crystal Shield

Nano Ceramic Coating is a high-purity, silica (SiO_2)-based liquid glass that chemically bonds to automotive surfaces to form an ultra-durable, transparent ceramic layer with 9H pencil hardness—resisting swirls, chemical stains, UV fading, and environmental etching for up to 24 months. Unlike waxes or polymer sealants that sit on top and degrade in weeks, this nano-formula cross-links at the molecular level, creating a smooth, hydrophobic shield that causes water to bead violently and dirt to slide off effortlessly. Suitable for paint, glass, wheels, and even PPF, it delivers unmatched gloss depth, ease of maintenance, and long-term value.

PURPOSE: Clear coat & single-stage paint, Glass (windshield, windows), Wheels (alloy, painted, chrome), Paint Protection Film (PPF) & vinyl wraps



EXCELS AT

- Permanent Protection
- Super Hydrophobic Effect
- Scratch Resistance
- Candy-like Gloss
- Advanced Coating Technology
- UV Resistance

PROPERTIES

› 9H ceramic hardness – superior scratch & swirl resistance.
› 12–24 month durability – depending on climate and maintenance.
› Hydrophobicity – contact angle >92°; self-cleaning effect.
› UV & oxidation protection – prevents paint fading and clear coat degradation.
› Chemical resistance – withstands pH 3–12 (bird droppings, acid rain, bug splatter).
› Enhanced gloss & depth – mirror-like reflection without artificial fillers.

BOROPHENE CERAMIC COATING (Model No. CH604)

Inspired by Next-Gen 2D Materials. Engineered for Real-World Armor

Borophene Ceramic Coating is a revolutionary surface treatment inspired by the frontier of 2D nanomaterials—including the ultra-strong, atom-thin boron lattice known as borophene. While true borophene remains confined to laboratories, this advanced formula harnesses high-reactivity boron-based crosslinkers and nano-borate complexesto create a ceramic network far denser, more flexible, and thermally resilient than conventional SiO_2 coatings.

EXCELS AT

- Permanent Protection
- Super Hydrophobic Effect
- 10H+ Pencil Hardness
- Diamond-like Gloss
- Advanced Coating Technology
- UV Resistance

PROPERTIES

› 10H+ pencil hardness with molecular-level elasticity.
› Extreme hydrophobicity (contact angle >115°).
› Unmatched thermal stability (up to 1000°C).
› 48-month durability in real-world conditions.
› UV & oxidation protection – prevents paint fading and clear coat degradation.
› Unparalleled glossiness – twice as high as the glossiness of graphene coating.
› Slippery-Smooth Finish – reduces dirt adhesion by up to 75%.

PURPOSE: Paint (clear coat, single-stage), Glass (windshield, windows), Wheels (alloy, chrome, ceramic-coated), PPF & vinyl wraps



NANO GLASS COATING (Model No. CH605)

Crystal-Clear Vision. Zero Distortion. Total Rain Defense

Nano Glass Coating is a precision silica-based nano-treatment that chemically bonds to automotive glass, forming an ultra-thin, optically clear ceramic layer. It repels water with a contact angle over 118° (causing rain to sheet off at 30 km/h), resists bugs, sap, road grime, and mineral deposits, maintains 100% optical clarity with zero glare or distortion, and lasts 10–12 months. The result is sharper visibility in rain, snow, or dust, fewer wiper passes, longer blade life, and safer driving.

PURPOSE: Windshield, Side & rear windows, Headlight lenses, Sunroofs & panoramic roofs



EXCELS AT

- Permanent Protection
- Super Hydrophobic Effect
- Safe On All Auto Glass
- Reduces Wiper Usage
- Advanced Coating Technology
- 100% Optically Clear

PROPERTIES

> Extreme hydrophobicity – water beads violently and sheets away.
> 100% optically clear – no haze, streaks, or light refraction.
> Long-lasting: 10–12 months of protection.
> Reduces wiper usage – less wear on blades, quieter operation.
> Easy maintenance – dirt slides off; glass stays cleaner longer.
> Safe for all automotive glass.

LIQUID GLASS COATING (Model No. CH701)

A Fresh Clear Coat—Without the Spray Booth

PURPOSE: All OEM and refinished paint

Liquid Glass Coating is a polymeric restoration system that acts like a liquid clear coat, using premium polyester and PTFE (Teflon®) to form a self-leveling 5–6 micron film on oxidized or dull paint. It delivers an instant high-gloss finish (60–90% improvement), over eight years of protection, scratch-masking for swirls and defects, extreme pH 3–12 chemical and UV resistance, and a self-cleaning surface—adding measurable thickness and effectively recoating your vehicle in invisible armor, unlike ceramic sealants, making it ideal for older cars, fleet refreshes, or classics without sanding or repainting.



EXCELS AT

- Restores Old Paint
- Revolutionary Coating Product
- Unrivaled Self-Cleaning
- Extreme Gloss Effect
- Removes Swirls & Scratches
- UV Protection

PROPERTIES

> Restores faded paint to near-new condition – no repainting needed.
> 8-year longevity – unmatched in the consumer market.
> Self-leveling formula – eliminates brush marks and streaks.
> Adds 5–6µm protective layer – measurable clear coat reinforcement.
> Masks light scratches & sun spots – optical smoothing effect.
> Resists acids, alkalis, solvents, and UV degradation.

DETAIL SPRAY (Model No. CH025)

Instant Shine & Protection Refresher

Detail Spray is a ready-to-use, pH-neutral formula engineered for fast touch-ups, light dust removal, and instant gloss enhancement. Infused with hydrophobic SiO_2 polymers and high-lubricity agents, it safely lifts fresh fingerprints, pollen, and light road film while depositing a thin, protective layer that boosts water beading and depth of shine. Perfect for post-drive cleanups, show-car prep, or maintaining ceramic-coated finishes—without washing, rinsing, or effort.

PROPERTIES

› Ready-to-use – no dilution required.
› Safe on ceramic coatings, PPF, vinyl wraps, and matte finishes.
› Adds slickness and hydrophobicity with every use.
› Leaves zero streaks or hazing—even on glass and black trim.
› Ideal for final wipe-down after washing or claying.



CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

ALL-IN-ONE DRESSING (Model No. CH033)

One Bottle. Every Surface. Perfect Finish

All-in-One Dressing is a versatile, water-based emulsion engineered to safely rejuvenate tires, trim, vinyl, rubber, plastic, and leather with a single product. Unlike greasy "universal dressings" that sling, attract dust, or darken light interiors, this silicone-free, non-greasy milk formula delivers a uniform, natural satin finish—never glossy, never sticky. Infused with UV inhibitors and conditioning agents, it restores color depth, prevents fading, and creates a breathable protective layer that lasts up to 4 weeks. From faded bumpers to dry door seals, one bottle handles it all—without cross-contamination or clutter.



PROPERTIES

> Truly multi-surface.
> Natural satin finish – enhances OEM look, no artificial shine.
> Water-based & silicone-free – won't sling, stain, or build up.
> Non-greasy & dust-resistant – surfaces stay clean longer.
> UV protection – slows cracking and fading from sun exposure.
> Pleasant neutral scent – no chemical odor.

CAPACITY SELECTION: 500 mL / 1 L / 3.79 L / 5 L / 20 L / 25 L

500 mL STANDARD PACKING SPECS

Product Volume	500 mL	**Carton Size**	L430 mm × W260 mm × H217 mm
Product Size	Dia. 64.5 mm × H 190 mm	**Carton N.W**	About 13.75 kg (25 pcs)
Product Weight	About 550 g	**Carton G.W**	About 14.2 kg (Including carton)
Qty per Carton	25 Bottles / Carton	**Carton Material**	Export Standard Carton

AutoPolan has been deeply engaged in the R&D of fast car cleaning and maintenance for nearly fifteen years, but we constantly strive to innovate, update our product portfolio, and provide new solutions. That being said, please do not hesitate to contact us if you require products outside our current scope.

Thank you for trusting us!



HEADQUARTERS:
Changhong Technology (Guangzhou) Co., Ltd
Unit B405, Building 1, Huijumei Sci-Tech
Innovation Park, Baiyun District, Guangzhou
China
ricky@autopolan.com
+86 189 3396 2044
autopolan.com